



CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

9709/32

May/June 2024

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.

Kambridge Math & Physics
kambridgemp.com

- 1 (a) Sketch the graph of $y = |x - 2a|$, where a is a positive constant.

[1]

- (b) Solve the inequality $2x - 3a < |x - 2a|$.

[2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

2 Express $\frac{6x^2-9x-16}{2x^2-5x-12}$ in partial fractions.

[5]

Kambridge Math & Physics
kambridgemp.com

- 3** The variables x and y satisfy the equation $a^{2y-1} = b^{x-y}$, where a and b are constants.

(a) Show that the graph of y against x is a straight line.

[3]

Grade Math & Physics

(b) Given that $a = b^3$, state the equation of the straight line in the form $y = px + q$, where p and q are rational numbers in their simplest form. [2]

[2]

[illegible]

- 4** The equation of a curve is $ye^{2x} + y^2e^x = 6$.

Find the gradient of the curve at the point where $y = 1$.

[6]

Kambridge Math & Physics
kambridgep.com

- 5 (a)** It is given that the equation $e^{2x} = 5 + \cos 3x$ has only one root.

Show by calculation that this root lies in the interval $0.7 < x < 0.8$.

[2]

- (b)** Show that if a sequence of values in the interval $0.7 < x < 0.8$ given by the iterative formula

$$x_{n+1} = \frac{1}{2} \ln(5 + \cos 3x_n)$$

converges then it converges to the root of the equation in part (a).


[1]

Cambridge Math 6
kamdemp.com

- (c) Use this iterative formula to determine the root correct to 3 decimal places. Give the result of each iteration to 5 decimal places. [3]

[3]

This image shows a full page of white paper with ten horizontal dashed lines, typical of primary-ruled notebook paper. The lines are evenly spaced and extend across the entire width of the page. There is no handwriting or other markings on the paper.



(a) Find the exact coordinates of M .

[4]

Cambridge Math & Physics
kambridgemp.com

(b) Find the exact value of $\int_0^{\frac{2}{a}} x e^{-ax} dx$.

[5]

Kambridge Math & Physics
kambridgemp.com

7 (a) Show that $\cos^4 \theta - \sin^4 \theta \equiv \cos 2\theta$.

[3]

Cambridge Math & Physics

(b) Hence find the exact value of $\int_{-\frac{1}{8}\pi}^{\frac{1}{8}\pi} (\cos^4 \theta - \sin^4 \theta + 4 \sin^2 \theta \cos^2 \theta) d\theta$. [6]

Cambridge Math & Physics
kambriqemp.com

- (a) Find a vector equation for l_1 . [3]

The line l_2 has equation $\mathbf{r} = -2\mathbf{i} + \mathbf{j} + 4\mathbf{k} + \mu(3\mathbf{i} + \mathbf{j} - 2\mathbf{k})$.

- (b) Find the coordinates of the point of intersection of l_1 and l_2 . [4]

Cambridge International
kambriidgemp.com

- (c) The point D on l_2 is such that $AB = BD$.

Find the position vector of D .

[5]

Kambridge Math & Physics
kamdridgemp.com

9 The complex numbers z and ω are defined by $z = 1 - i$ and $\omega = -3 + 3\sqrt{3}i$.

- (a) Express $z\omega$ in the form $a + bi$, where a and b are real and in exact surd form. [1]

.....

.....

.....

.....

.....

- (b) Express z and ω in the form $re^{i\theta}$, where $r > 0$ and $-\pi < \theta \leq \pi$. Give the exact values of r and θ in each case. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (c) On an Argand diagram, the points representing ω and $z\omega$ are A and B respectively.

Prove that OAB is an isosceles right-angled triangle, where O is the origin. [2]

- (d) Using your answers to part (b), prove that $\tan \frac{5}{12}\pi = \frac{\sqrt{3}+1}{\sqrt{3}-1}$. [3]

- 10 (a) By writing $y = \sec^3 \theta$ as $\frac{1}{\cos^3 \theta}$, show that $\frac{dy}{d\theta} = 3 \sin \theta \sec^4 \theta$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) The variables x and θ satisfy the differential equation

$$(x^2 + 9) \sin \theta \frac{d\theta}{dx} = (x + 3) \cos^4 \theta.$$

It is given that $x = 3$ when $\theta = \frac{1}{3}\pi$.

Solve the differential equation to find the value of $\cos \theta$ when $x = 0$. Give your answer correct to 3 significant figures. [8]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Kambridge Math & Physics
kambridgemp.com

Kambridge Math & Physics
kambridgemp.com

Kambridge Math & Physics
kambridgemp.com

Kambridge Math & Physics
kambridgemp.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.