



Cambridge International AS & A Level

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



MATHEMATICS

9709/11

Paper 1 Pure Mathematics 1

October/November 2023

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.

Kambridge Math & Physics
kambridgemp.com

4 The transformation R denotes a reflection in the x -axis and the transformation T denotes a translation of $\begin{pmatrix} 3 \\ -1 \end{pmatrix}$.

- (a) Find the equation, $y = g(x)$, of the curve with equation $y = x^2$ after it has been transformed by the sequence of transformations R followed by T. [2]

.....

.....

.....

.....

.....

.....

.....

- (b) Find the equation, $y = h(x)$, of the curve with equation $y = x^2$ after it has been transformed by the sequence of transformations T followed by R. [2]

.....

.....

.....

.....

.....

.....

.....

- (c) State fully the transformation that maps the curve $y = g(x)$ onto the curve $y = h(x)$. [2]

.....

.....

.....


.....

.....

.....

.....

6



The diagram shows a motif formed by the major arc AB of a circle with radius r and centre O , and the minor arc AOB of a circle, also with radius r but with centre C . The point C lies on the circle with centre O .

- (a) Given that angle $ACB = k\pi$ radians, state the value of the fraction k . [1]

.....

.....

.....

.....

.....

.....

.....

.....

- (b) State the perimeter of the shaded motif in terms of π and r . [1]

.....

.....

.....

.....

.....

.....

.....

.....

Kambridge Math & Physics
kambridgemp.com

10 A curve has a stationary point at (2, -10) and is such that $\frac{d^2y}{dx^2} = 6x$.

(a) Find $\frac{dy}{dx}$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Find the equation of the curve. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

