



Cambridge International AS & A Level

CANDIDATE
NAMECENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS**9709/11**

Paper 1 Pure Mathematics 1

October/November 2024**1 hour 50 minutes**

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.

- Cambridge Math & Physics
- kambridgemp.com




1

[4]

Cambridge Math & Physics



3



The diagram shows a sector of a circle, centre O , where $OB = OC = 15$ cm. The size of angle BOC is $\frac{2}{5}\pi$ radians. Points A and D on the lines OB and OC respectively are joined by an arc AD of a circle with centre O . The shaded region is bounded by the arcs AD and BC and by the straight lines AB and DC . It is given that the area of the shaded region is $\frac{209}{5}\pi$ cm².

Find the perimeter of the shaded region. Give your answer in terms of π .

[5]

Cambridge Math & Physics





- 4** Show that the curve with equation $x^2 - 3xy - 40 = 0$ and the line with equation $3x + y + k = 0$ meet for all values of the constant k . [5]

Cambridge Math & Physics
kcambridgemp.com



5 The equation of a curve is such that $\frac{dy}{dx} = 4x - 3\sqrt{x} + 1$.

(a) Find the x -coordinate of the point on the curve at which the gradient is $\frac{11}{2}$. [3]

Cambridge Math & Physics
cambridgemp.com

(b) Given that the curve passes through the point $(4, 11)$, find the equation of the curve. [4]

[illegible]



5

respectively.

- [4]

Math & Physics

[3]

Example 1

Example 2

Example 3

Example 4

Example 5

Example 6

Example 7

Example 8

Example 9

Example 10

Example 11

Example 12

Example 13

Example 14

Example 15

Example 16

Example 17

Example 18

Example 19

Example 20

Example 21

Example 22

Example 23

Example 24

Example 25

Example 26

Example 27

Example 28

Example 29

Example 30

Example 31

Example 32

Example 33

Example 34

Example 35

Example 36

Example 37

Example 38

Example 39

Example 40

Example 41

Example 42

Example 43

Example 44

Example 45

Example 46

Example 47

Example 48

Example 49

Example 50

Example 51

Example 52

Example 53

Example 54

Example 55

Example 56

Example 57

Example 58

Example 59

Example 60

Example 61

Example 62

Example 63

Example 64

Example 65

Example 66

Example 67

Example 68

Example 69

Example 70

Example 71

Example 72

Example 73

Example 74

Example 75

Example 76

Example 77

Example 78

Example 79

Example 80

Example 81

Example 82

Example 83

Example 84

Example 85

Example 86

Example 87

Example 88

Example 89

Example 90

Example 91

Example 92

Example 93

Example 94

Example 95


Example 96

Example 97

Example 98

Example 99

Example 100



The diagram shows part of the curve with equation $y = \frac{12}{\sqrt[3]{2x+1}}$. The point A on the curve has coordinates $\left(\frac{7}{2}, 6\right)$.

- (a) Find the equation of the tangent to the curve at A . Give your answer in the form $y = mx + c$. [4]

Cambridge Math & Physics
kambriqemp.com





Cambridge Math & Physics

cambridgeemp.com

[3]

Cambridge Math & Physics

cambridgegemp.com



[5]

Kambridge Math & Physics
kambridgemp.com

[4]

Cambridge Math & Physics

cambridgeemp.com



[4]

Cambridge Math & Physics
kambriidgemp.com

[3]

Cambridge Math & Physics

cambridgemp.com



- Find the value of $S_{77} - G_{10}$.

[5]

Cambridge Math & Physics

kambridgemp.com



11 The function f is defined by $f(x) = 3 + 6x - 2x^2$ for $x \in \mathbb{R}$.

- (a) Express $f(x)$ in the form $a - b(x - c)^2$, where a , b and c are constants, and state the range of f . [3]

Cambridge Math & Physics
www.cambridgeemp.com

- (b)** The graph of $y = f(x)$ is transformed to the graph of $y = h(x)$ by a reflection in one of the axes followed by a translation. It is given that the graph of $y = h(x)$ has a minimum point at the origin.

Give details of the reflection and translation involved.

[illegible]



The function g is defined by $g(x) = 3 + 6x - 2x^2$ for $x \leq 0$.

- (c) Sketch the graph of $y = g(x)$ and explain why g is a one-one function. You are **not** required to find the coordinates of any intersections with the axes. [2]

- (d) Sketch the graph of $y = g^{-1}(x)$ on your diagram in (c), and find an expression for $g^{-1}(x)$. You should label the two graphs in your diagram appropriately and show any relevant mirror line. [4]





Additional page

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.

Lined area for writing answers, featuring horizontal dotted lines. A large diagonal watermark reads "Kambridge Math & Physics" with the URL "kambridgemp.com" below it.



* 000080000019 *



Kambridge Math & Physics
kambridgemp.com





Kambridge Math & Physics
kambridgemp.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

