Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER			

9303616557

MATHEMATICS **9709/42**

Paper 4 Mechanics **February/March 2021**

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use $10\,\text{m}\,\text{s}^{-2}$.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [ ].

Cambridge Math & Physics
kambridgemp.com

This document has **16** pages. Any blank pages are indicated.

© UCLES 2021

BLANK PAGE

Kambridge Math & Physics
kambridgemp.com

1 Two particles P and Q of masses 0.2 kg and 0.3 kg respectively are free to move in a horizontal straight line on a smooth horizontal plane. P is projected towards Q with speed $0.5\,\text{m s}^{-1}$. At the same instant Q is projected towards P with speed $1\,\text{m s}^{-1}$. Q comes to rest in the resulting collision.

Find the speed of P after the collision. [3]

Kambridge Math & Physics
kambridgemp.com

2 A car of mass 1400 kg is travelling at constant speed up a straight hill inclined at α to the horizontal, where $\sin\alpha = 0.1$. There is a constant resistance force of magnitude 600 N. The power of the car's engine is 22 500 W.

(a) Show that the speed of the car is $11.25\ \text{m s}^{-1}$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

The car, moving with speed $11.25\ \text{m s}^{-1}$, comes to a section of the hill which is inclined at 2° to the horizontal.

(b) Given that the power and resistance force do not change, find the initial acceleration of the car up this section of the hill. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Kambridge Math & Physics
kambridgemp.com

3



A particle Q of mass 0.2 kg is held in equilibrium by two light inextensible strings PQ and QR. P is a fixed point on a vertical wall and R is a fixed point on a horizontal floor. The angles which strings PQ and QR make with the horizontal are 60° and 30° respectively (see diagram).

Find the tensions in the two strings. [5]

Kambridge Math & Physics
kambridgemp.com

4



An elevator moves vertically, supported by a cable. The diagram shows a velocity-time graph which models the motion of the elevator. The graph consists of 7 straight line segments.

The elevator accelerates upwards from rest to a speed of $2\,\text{m s}^{-1}$ over a period of 1.5 s and then travels at this speed for 4.5 s, before decelerating to rest over a period of 1 s.

The elevator then remains at rest for 6 s, before accelerating to a speed of $V\,\text{m s}^{-1}$ downwards over a period of 2 s. The elevator travels at this speed for a period of 5 s, before decelerating to rest over a period of 1.5 s.

(a) Find the acceleration of the elevator during the first 1.5 s. [1]

.....

.....

.....

.....

(b) Given that the elevator starts and finishes its journey on the ground floor, find V. [2]

.....

.....

.....

.....

.....

.....

.....

Kambridge Math & Physics
kambridgemp.com

(c) The combined weight of the elevator and passengers on its upward journey is 1500 kg. Assuming that there is no resistance to motion, find the tension in the elevator cable on its upward journey when the elevator is decelerating. [3]

Kambridge Math & Physics
kambridgemp.com

5



A block of mass 5 kg is being pulled along a rough horizontal floor by a force of magnitude X N acting at 30° above the horizontal (see diagram). The block starts from rest and travels 2 m in the first 5 s of its motion.

(a) Find the acceleration of the block. [2]

.....

.....

.....

.....

.....

.....

(b) Given that the coefficient of friction between the block and the floor is 0.4, find X. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Kambridge Math & Physics
kambridgemp.com

.....

.....

.....

.....

.....

The block is now placed on a part of the floor where the coefficient of friction between the block and the floor has a different value. The value of X is changed to 25, and the block is now in limiting equilibrium.

(c) Find the value of the coefficient of friction between the block and this part of the floor. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Kambridge Math & Physics
kambridgemp.com

6 A particle moves in a straight line. It starts from rest from a fixed point O on the line. Its velocity at time t s after leaving O is v m s^{-1}, where $v = t^2 - 8t^{\frac{3}{2}} + 10t$.

(a) Find the displacement of the particle from O when $t = 1$. [4]

Kambridge Math & Physics
kambridgemp.com

(b) Show that the minimum velocity of the particle is $-125\,\text{m}\,\text{s}^{-1}$. [7]

Kambridge Math & Physics
kambridgemp.com

7



Two particles P and Q of masses 0.5 kg and m kg respectively are attached to the ends of a light inextensible string. The string passes over a fixed smooth pulley which is attached to the top of two inclined planes. The particles are initially at rest with P on a smooth plane inclined at 30° to the horizontal and Q on a plane inclined at 45° to the horizontal. The string is taut and the particles can move on lines of greatest slope of the two planes. A force of magnitude 0.8 N is applied to P acting down the plane, causing P to move down the plane (see diagram).

(a) It is given that $m = 0.3$, and that the plane on which Q rests is smooth.

Find the tension in the string. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Kambridge Math & Physics
kambridgemp.com

(b) It is given instead that the plane on which Q rests is rough, and that after each particle has moved a distance of 1 m, their speed is $0.6\,\text{m}\,\text{s}^{-1}$. The work done against friction in this part of the motion is 0.5 J.

Use an energy method to find the value of m. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Kambridge Math & Physics
kambridgemp.com

Additional Page

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.

Kambridge Math & Physics
kambridgemp.com

BLANK PAGE

Kambridge Math & Physics
kambridgemp.com

BLANK PAGE

Kambridge Math & Physics
kambridgemp.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.